

大学院生が第一著者の発表論文例 (2013 -)

- Matsuda, T., Hiyama, T.Y., Niimura, F., Matsusaka, T., Fukamizu, A., Kobayashi, K., Kobayashi, K., and Noda, M. (2017). Distinct neural mechanisms for the control of thirst and salt appetite in the subfornical organ. *Nat. Neurosci.* 20, 230-241.
- Tokue, M., Ikami, K., Mizuno, S., Takagi, C., Miyagi, A., Takada, R., Noda, C., Kitadate, Y., Hara, K., Mizuguchi, H., Sato, T., Taketo, M. M., Sugiyama, F., Ogawa, T., Kobayashi, S., Ueno, N., Takahashi, S., Takada, S., and Yoshida, S. (2017). SHISA6 confers resistance to differentiation-promoting Wnt/ β -catenin signaling in mouse spermatogenic stem cells. *Stem Cell Rep.* 8, 561-575.
- *Hayashi, M., *Shinozuka, Y., Shigenobu, S., Sato, M., Sugimoto, M., Ito, S., Abe, K., and Kobayashi, S. (2017). Conserved role of Ovo in germline development in mouse and *Drosophila*. *Sci. Rep.* 6, 40056 (* contribute equally)
- Li, C., Sako, Y., Imai, A., Nishiyama, T., Thompson, K., Kubo, M., Hiwatashi, Y., Kabeya, Y., Karlson, D., Wu, S.-H., Ishikawa, M., Murata, M., Benfey, P.N., Sato, Y., Tamada, Y., and Hasebe, M. (2017). A Lin28 homolog reprograms differentiated cells to stem cells in the moss *Physcomitrella patens*. *Nat. Commun.* 8, 14242.
- Ohashi, R., Takao, K., Miyakawa, T. and Shiina, N. (2016). Comprehensive behavioral analysis of RNG105 (Caprin1) heterozygous mice: Reduced social interaction and attenuated response to novelty. *Sci. Rep.* 6, 20775.
- Yatsu, R., Miyagawa, S., Kohno, S., Parrott, B.B., Yamaguchi, K., Ogino, Y., Miyakawa, H., Lowers, R.H., Shigenobu, S., Guillette, L.J., Jr., and Iguchi, T. (2016). RNA-seq analysis of the gonadal transcriptome during *Alligator mississippiensis* temperature-dependent sex determination and differentiation. *BMC Genomics* 17, 77.
- Tsuzuki, S., Handa, Y., Takeda, N., and Kawaguchi, M. (2016). Strigolactone-induced putative secreted protein 1 is required for the establishment of symbiosis by the arbuscular mycorrhizal fungus *Rhizophagus irregularis*. *Mol. Plant Microbe Interact.* 29, 277-286.
- Sumiya, E., Ogino, Y., Toyota, K., Miyakawa, H., Miyagawa, S., and Iguchi, T. (2016). Neverland regulates embryonic moltings through the regulation of ecdysteroid synthesis in the water flea *Daphnia magna*, and may thus act as a target for chemical disruption of molting. *J. Appl. Toxicol.* 36, 1476-1485.
- Yatsu, R., Miyagawa, S., Kohno, S., Saito, S., Lowers, R.H., Ogino, Y., Fukuta, N., Katsu, Y., Ohta, Y., Tominaga, M., Guillette, L.J., Jr., and Iguchi, T. (2015). TRPV4 associates environmental temperature and sex determination in the American alligator. *Sci. Rep.* 5, 18581.
- Miyagi, A., Negishi, T., Yamamoto, T.S., and Ueno, N. (2015). G protein-coupled receptors Flop1 and Flop2 inhibit Wnt/ β -catenin signaling and are essential for head formation in *Xenopus*. *Dev. Biol.* 407, 131-144.
- Ikami, K., Tokue, M., Sugimoto, R., Noda, C., Kobayashi, S., Hara, K., and Yoshida, S. (2015). Hierarchical differentiation competence in response to retinoic acid ensures stem cell maintenance during mouse spermatogenesis. *Development* 142, 1582-1592.
- Fukushima, K., Fujita, H., Yamaguchi, T., Kawaguchi, M., Tsukaya, H., and Hasebe, M. (2015). Oriented cell division shapes carnivorous pitcher leaves of *Sarracenia purpurea*. *Nat. Commun.* 6, 6450.
- Toyota, K., Miyakawa, H., Hiruta, C., Furuta, K., Ogino, Y., Shinoda, T., Tatarazako, N., Miyagawa, S., Shaw, J.R., and Iguchi, T. (2015). Methyl farnesoate synthesis is necessary for the environmental sex determination in the water flea *Daphnia pulex*. *J. Insect Physiol.* 80, 22-30.
- Toyota, K., Miyakawa, H., Yamaguchi, K., Shigenobu, S., Ogino, Y., Tatarazako, N., Miyagawa, S., and Iguchi, T. (2015). NMDA receptor activation upstream of methyl farnesoate signaling for short day-induced male offspring production in the water flea, *Daphnia pulex*. *BMC Genomics* 16, 186.
- Fukushima, K., and Hasebe, M. (2014). Adaxial-abaxial polarity: the developmental basis of leaf shape diversity. *Genesis* 52, 1-18.
- Wanglar C, Takahashi J, Yabe T, Takada S. (2014) Tbx protein level critical for clock-mediated somite positioning is regulated through Interaction between Tbx and Ripply. *PLoS One* 9, e107928.
- Nishimura, T., Herpin, A., Kimura, T., Hara, I., Kawasaki, T., Nakamura, S., Yamamoto, Y., Saito, T.L., Yoshimura, J., Morishita, S., Tsukahara, T., Kobayashi, S., Naruse, K., Shigenobu, S., Sakai, N., Scharlt, M. and Tanaka, M. (2014) Analysis of a novel gene, *Sdgc*, reveals sex chromosome-dependent differences of medaka germ cells prior to gonad formation. *Development* 141, 3363-3369.
- Shukla, R., Watakabe, A., and Yamamori, T. (2014) mRNA expression profile of serotonin receptor subtypes and distribution of serotonergic terminations in marmoset brain. *Front. Neural Circuits* 8, 52.
- Sasaki, T., Suzaki, T., Soyano, T., Kojima, M., Sakakibara, H., and Kawaguchi, M. (2014). Shoot-derived cytokinins systemically regulate root nodulation. *Nat. Commun.* 5, 4983.
- Yoro, E., Suzaki, T., Toyokura, K., Miyazawa, H., Fukaki, H., and Kawaguchi, M. (2014). A positive regulator of nodule organogenesis, NODULE INCEPTION, acts as a negative regulator of rhizobial infection in *Lotus japonicus*. *Plant Physiol.* 165,747-758.
- Sumiya, E., Ogino Y., Miyakawa, H., Hiruta, C., Toyota, K., Miyagawa, S., and Iguchi, T. (2014). Roles of ecdysteroids for progression of reproductive cycle in the fresh water crustacean *Daphnia magna*. *Front. Zool.* 11, 60.
- Toyota, K., Kato, Y., Miyakawa, H., Yatsu, R., Mizutani, T., Ogino, Y., Miyagawa, S., Watanabe, H., Nishide, H., Uchiyama, I., Tatarazako, N., and Iguchi, T. (2014). Molecular impact of juvenile hormone agonists on neonatal *Daphnia magna*. *J. Appl. Toxicol.* 34, 537-544.
- Sakuraba, J., Shintani, T., Tani, S., and Noda, M. (2013). Substrate specificity of R3 receptor-like protein-tyrosine phosphatase subfamily towards receptor protein-tyrosine kinases. *J. Biol. Chem.* 288, 23421-23431.
- Toyota, K., Kato, Y., Sato, M., Sugiura, N., Miyagawa, S., Miyakawa, H., Watanabe, H., Oda, S., Ogino, Y., Hiruta, C., Mizutani, T., Tatarazako, N., Paland, S., Jackson, C., Colbourne, J.K., and Iguchi, T. (2013). Molecular cloning of doublesex genes of four cladocera (water flea) species. *BMC Genomics* 14, 239.
- Takahara, M., Magori, S., Soyano, T., Okamoto, S., Yoshida, C., Yano, K., Sato, S., Tabata, S., Yamaguchi, K., Shigenobu, S., Takeda, N., Suzaki, T., and Kawaguchi, M. (2013). Too much love, a novel Kelch repeat-containing F-box protein, functions in the long-distance regulation of the legume-Rhizobium symbiosis. *Plant Cell Physiol.* 54, 433-447.
- Hara, Y., Nagayama, K., Yamamoto, T.S., Matsumoto, T., Suzuki, M., and Ueno, N. (2013). Directional migration of leading-edge mesoderm generates physical forces: Implication in *Xenopus* notochord formation during gastrulation. *Dev. Biol.* 382, 482-495.
- Cui, S., Fukao, Y., Mano, S., Yamada, K., Hayashi, M., and Nishimura, M. (2013). Proteomic analysis reveals that the Rab GTPase RabE1c is involved in the degradation of the peroxisomal protein receptor PEX7 (peroxin 7). *J. Biol. Chem.* 288, 6014-6023.